


**Prescription Pain Reliever Misuse among Missouri and U.S. Adults**



Percent of Age Group

	2006-2007	2007-2008	2008-2009	2009-2010	2010-2011	2011-2012	2012-2013	2013-2014	2015-2016	2016-2017	2017-2018	2018-2019
Pain Relievers - U.S. Ages 18+	4.88%	4.71%	4.66%	4.72%	4.41%	4.45%	4.46%	4.00%	4.54%	4.26%	3.94%	3.69%
Pain Relievers - Missouri Ages 18+	4.80%	4.24%	4.22%	4.96%	4.63%	4.44%	4.65%	3.98%	4.50%	4.39%	4.32%	3.80%

Title	<b>Prescription Pain Reliever Misuse among Missouri and U.S. Adults</b>
Definition	<b>Non-medical use of a pain reliever during the one-year period preceding the survey</b>
Methodology	<b>Overlapping 2-year rate estimates from Missouri and U.S. survey samples for age group 18 and older</b>
Data Source	<b>National Survey on Drug Use and Health, U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration</b>
Data Notes	<b>Data are not available for combined years 2014-2015 because measure was not included in the 2015 NSDUH questionnaire. Apparent U.S. and Missouri differences in estimates, and year-to-year increases and decreases, might be statistically insignificant due to survey sampling.</b>